

Publikationen im Rahmen des Graduiertenkollegs

- [1] G. Aad *et al.* [ATLAS Collaboration], “Observation and measurement of Higgs boson decays to WW^* with the ATLAS detector,” Phys. Rev. D **92** (2015) no.1, 012006 [[arXiv:1412.2641](https://arxiv.org/abs/1412.2641) [hep-ex]].
- [2] The ATLAS collaboration [ATLAS Collaboration], “Measurement of gluon fusion and vector boson fusion Higgs boson production cross-sections in the $H \rightarrow WW^* \rightarrow e\nu\mu\nu$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” ATLAS-CONF-2018-004, <http://cds.cern.ch/record/2308392>.
- [3] G. Aad *et al.* [ATLAS Collaboration], “Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z) H production with the ATLAS detector,” JHEP **1501** (2015) 069, [[arXiv:1409.6212](https://arxiv.org/abs/1409.6212) [hep-ex]].
- [4] M. Aaboud *et al.* [ATLAS Collaboration], “Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector”, JHEP **12** (2017) 024.
- [5] G. Aad *et al.* [ATLAS Collaboration], “Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector”, JHEP **1504** (2015) 117, [[arXiv:1501.04943](https://arxiv.org/abs/1501.04943) [hep-ex]].
- [6] The ATLAS collaboration [ATLAS Collaboration], “Observation of $H \rightarrow b\bar{b}$ decays and VH production with the ATLAS detector,” ATLAS-CONF-2018-036, <http://cds.cern.ch/record/2630338>.
- [7] ATLAS Collaboration, “Cross-section measurements of the Higgs boson decaying to a pair of tau leptons in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector”, ATLAS-CONF-2018-021, Juni 2018.
- [8] G. Aad *et al.* [ATLAS Collaboration], “Test of CP Invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector”, Eur. Phys. J. C **76** (2016) no.12, 658, [[arXiv:1602.04516](https://arxiv.org/abs/1602.04516) [hep-ex]].
- [9] G. Aad *et al.* [ATLAS Collaboration], “Search for lepton-flavour-violating $H \rightarrow \tau\mu$ decays of the Higgs boson with the ATLAS detector”, JHEP **1511** (2015) 211,
- [10] G. Aad *et al.* [ATLAS Collaboration], “Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s}=8$ TeV”, Eur. Phys. J. C **75** (2015) no.7, 303, [[arXiv:1412.7086](https://arxiv.org/abs/1412.7086) [hep-ex]].
- [11] ATLAS Collaboration, “The ATLAS Tau Trigger in Run 2”, ATLAS-CONF-2017-061, Juli 2017.
- [12] G. Aad *et al.* [ATLAS Collaboration], “Modelling $Z \rightarrow \tau\tau$ processes in ATLAS with τ -embedded $Z \rightarrow \mu\mu$ data”, JINST **10** (2015) no.09, P09018, [[arXiv:1506.05623](https://arxiv.org/abs/1506.05623) [hep-ex]].
- [13] G. Aad *et al.* [ATLAS Collaboration], “Performance of b-Jet Identification in the ATLAS Experiment”, JINST **11** (2016) 04, P04008.
- [14] G. Aad *et al.* [ATLAS Collaboration], “Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and 8 TeV in the ATLAS experiment”, Eur. Phys. J. C **76** (2016) no.1, 6, [[arXiv:1507.04548](https://arxiv.org/abs/1507.04548) [hep-ex]].

- [15] G. Aad *et al.* [ATLAS Collaboration], “Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector”, JHEP **1511** (2015) 206, [[arXiv:1509.00672 \[hep-ex\]](#)].
- [16] G. Aad *et al.* [ATLAS and CMS Collaborations], “Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s} = 7$ and 8 TeV”, JHEP **1608** (2016) 045, [[arXiv:1606.02266 \[hep-ex\]](#)].
- [17] The ATLAS collaboration [ATLAS Collaboration], “A morphing technique for signal modelling in a multidimensional space of coupling parameters,” ATL-PHYS-PUB-2015-047, <https://cds.cern.ch/record/2066980>.
- [18] D. de Florian *et al.* [LHC Higgs Cross Section Working Group], “Handbook of LHC Higgs Cross Sections: 4. Deciphering the Nature of the Higgs Sector”, [arXiv:1610.07922 \[hep-ph\]](#).
- [19] M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector,” JHEP **1803** (2018) 095 [[arXiv:1712.02304 \[hep-ex\]](#)].
- [20] ATLAS Collaboration, “Constraints on an effective Lagrangian from the combined $H \rightarrow ZZ^* \rightarrow 4\ell$ and $H \rightarrow \gamma\gamma$ channels using 36.1 fb^{-1} of $\sqrt{s} = 13$ TeV pp collision data collected with the ATLAS detector”, ATLAS-PHYS-PUB-2017-018, November 2017.
- [21] L. Altenkamp, S. Dittmaier and H. Rzehak, “Renormalization schemes for the Two-Higgs-Doublet Model and applications to $h \rightarrow WW/ZZ \rightarrow 4$ fermions,” JHEP **1709** (2017) 134 [[arXiv:1704.02645 \[hep-ph\]](#)].
- [22] L. Altenkamp, S. Dittmaier and H. Rzehak, “Precision calculations for $h \rightarrow WW/ZZ \rightarrow 4$ fermions in the Two-Higgs-Doublet Model with Prophecy4f,” JHEP **1803** (2018) 110 [[arXiv:1710.07598 \[hep-ph\]](#)].
- [23] L. Altenkamp, M. Boggia and S. Dittmaier, “Precision calculations for $h \rightarrow WW/ZZ \rightarrow 4$ fermions in a Singlet Extension of the Standard Model with Prophecy4f,” JHEP **1804** (2018) 062 [[arXiv:1801.07291 \[hep-ph\]](#)].
- [24] M. Boggia and S. Dittmaier, “NLO Corrections to $h \rightarrow WW/ZZ \rightarrow 4$ Fermions in a Singlet Extension of the Standard Model,” Acta Phys. Polon. Supp. **11** (2018) 285.
- [25] L. Altenkamp, M. Boggia, S. Dittmaier and H. Rzehak, “Electroweak corrections in the Two-Higgs-Doublet Model and a Singlet Extension of the Standard Model,” [arXiv:1807.05876 \[hep-ph\]](#).
- [26] M. Boggia *et al.*, “The HiggsTools handbook: a beginners guide to decoding the Higgs sector,” J. Phys. G **45** (2018) no.6, 065004 [[arXiv:1711.09875 \[hep-ph\]](#)].
- [27] M. Boggia, R. Gomez-Ambrosio and G. Passarino, “Low energy behaviour of standard model extensions,” JHEP **1605** (2016) 162 [[arXiv:1603.03660 \[hep-ph\]](#)].
- [28] M. Aaboud *et al.* [ATLAS Collaboration], “Precision measurement and interpretation of inclusive W^+, W^- and Z/γ^* production cross sections with the ATLAS detector”, Eur. Phys. J. C **77** (2017) no.6, 367.
- [29] G. Aad *et al.* [ATLAS Collaboration], “Measurement of total and differential W^+W^- production cross sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and limits on anomalous triple-gauge-boson couplings”, JHEP **09** (2016) 29.

- [30] M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of $WW/WZ \rightarrow \ell\nu qq'$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings”, *Eur. Phys. J. C* **77** (2017) no.8, 563.
- [31] M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of W^+W^- production in association with one jet in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector”, *Phys. Lett. B* **763** (2016) 114.
- [32] M. Aaboud *et al.* [ATLAS Collaboration], “Measurement of $W^\pm W^\pm$ vector-boson scattering and limits on anomalous quartic gauge couplings with the ATLAS detector”, *Phys. Rev. D* **96** (2017) no. 1, 012007.
- [33] The ATLAS collaboration [ATLAS Collaboration], “Observation of electroweak production of a same-sign W boson pair in association with two jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” ATLAS-CONF-2018-030, <https://cds.cern.ch/record/2629411>.
- [34] M. Aaboud *et al.* [ATLAS Collaboration], “Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data”, *Eur. Phys. J. C* **77** (2017) no.3, 195.
- [35] M. Aaboud *et al.* [ATLAS Collaboration], “Search for triboson $W^\pm W^\pm W^\mp$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector”, *Eur. Phys. J. C* **77** (2017) 141.
- [36] A. Denner, S. Dittmaier, M. Hecht and C. Pasold, “NLO QCD and electroweak corrections to $W + \gamma$ production with leptonic W -boson decays,” *JHEP* **1504** (2015) 018 [[arXiv:1412.7421](https://arxiv.org/abs/1412.7421) [hep-ph]].
- [37] A. Denner, S. Dittmaier, M. Hecht and C. Pasold, “NLO QCD and electroweak corrections to $Z + \gamma$ production with leptonic Z -boson decays,” *JHEP* **1602** (2016) 057 [[arXiv:1510.08742](https://arxiv.org/abs/1510.08742) [hep-ph]].
- [38] C. F. Anders *et al.* (including G. Gonella), “VBSCan Split 2017 Workshop Summary,” [arXiv:1801.04203](https://arxiv.org/abs/1801.04203) [hep-ph].
- [39] S. Dittmaier, A. Huss and G. Knippen, “Next-to-leading-order QCD and electroweak corrections to WWW production at proton-proton colliders,” *JHEP* **1709** (2017) 034 [[arXiv:1705.03722](https://arxiv.org/abs/1705.03722) [hep-ph]].
- [40] M. Aaboud *et al.* [ATLAS Collaboration], “Search for new resonances decaying to a W or Z boson and a Higgs boson in the $\ell^+\ell^-\bar{b}\bar{b}$, $\ell\nu\bar{b}\bar{b}$, and $\nu\bar{\nu}\bar{b}\bar{b}$ channels with pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector”, *Phys. Lett. B* **765** (2017) 32.
- [41] M. Aaboud *et al.* [ATLAS Collaboration], “Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b -jets in 36 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector,” *JHEP* **1803** (2018) 174 [[arXiv:1712.06518](https://arxiv.org/abs/1712.06518) [hep-ex]].
- [42] G. Aad *et al.* [ATLAS Collaboration], “Search for charged Higgs bosons decaying via $H^\pm \rightarrow \tau^\pm \nu$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector”, *JHEP* **1503** (2015) 088, [[arXiv:1412.6663](https://arxiv.org/abs/1412.6663) [hep-ex]].
- [43] G. Aad *et al.* [ATLAS Collaboration], “Search for supersymmetry at $\sqrt{s} = 13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector,” *Eur. Phys. J. C* **76** (2016) no.5, 259, [arXiv:1602.09058](https://arxiv.org/abs/1602.09058) [hep-ex].
- [44] M. Aaboud *et al.* [ATLAS Collaboration], “Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector”, *JHEP* **1709** (2017) 084, [arXiv:1706.03731](https://arxiv.org/abs/1706.03731) [hep-ex].

- [45] G. Aad *et al.* [ATLAS Collaboration], “Summary of the ATLAS experiments sensitivity to supersymmetry after LHC Run 1 - interpreted in the phenomenological MSSM,” JHEP **1510** (2015) 134, arXiv:1508.06608 [hep-ex].
- [46] M. Aaboud *et al.* [ATLAS Collaboration], “Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector,” Eur. Phys. J. C **76** (2016) no.7, 392, [arXiv:1605.03814 [hep-ex]].
- [47] M. Aaboud *et al.* [ATLAS Collaboration], “Search for squarks and gluinos in final states with jets and missing transverse momentum using 36 fb^{-1} of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector,” Phys. Rev. D **97** (2018) no.11, 112001, arXiv:1712.02332 [hep-ex].
- [48] The ATLAS collaboration [ATLAS Collaboration], “Reinterpretation of searches for supersymmetry in models with variable R -parity-violating coupling strength and long-lived R -hadrons,” ATLAS-CONF-2018-003. <https://cds.cern.ch/record/2308391>.
- [49] G. Aad *et al.* [ATLAS Collaboration], “ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider,” Eur. Phys. J. C **75** (2015) no.10, 510 Erratum: [Eur. Phys. J. C **76** (2016) no.3, 153] [arXiv:1506.08616 [hep-ex]].
- [50] M. Aaboud *et al.* [ATLAS Collaboration], “Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector,” Phys. Rev. D **94** (2016) no.5, 052009 [arXiv:1606.03903 [hep-ex]].
- [51] M. Aaboud *et al.* [ATLAS Collaboration], “Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector,” JHEP **1712** (2017) 085 [arXiv:1709.04183 [hep-ex]].
- [52] M. Aaboud *et al.* [ATLAS Collaboration], “Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector,” JHEP **1806** (2018) 108 [arXiv:1711.11520 [hep-ex]].
- [53] F. R. Anger, F. Febres Cordero, H. Ita and V. Sotnikov, “NLO QCD predictions for $Wb\bar{b}$ production in association with up to three light jets at the LHC,” Phys. Rev. D **97** (2018) no.3, 036018 [arXiv:1712.05721 [hep-ph]].
- [54] F. R. Anger, F. Febres Cordero, S. Höche and D. Maître, “Weak vector boson production with many jets at the LHC $\sqrt{s} = 13$ TeV,” Phys. Rev. D **97** (2018) no.9, 096010 [arXiv:1712.08621 [hep-ph]].
- [55] F. R. Anger and V. Sotnikov, “On the Dimensional Regularization of QCD Helicity Amplitudes With Quarks,” arXiv:1803.11127 [hep-ph].
- [56] C. F. Steinwachs and M. L. van der Wild, “Quantum gravitational corrections from the Wheeler-DeWitt equation for scalar-tensor theories,” Class. Quant. Grav. **35** (2018) no.13, 135010 [arXiv:1712.08543 [gr-qc]].
- [57] R. Mori, C. Betancourt, S. Kühn, M. Hauser, I. Messmer, A. Hasenfratz, M. Thomas, K. Lohwasser, U. Parzefall and K. Jakobs., “Long term performance stability of silicon sensors”, Nucl. Inst. Meth. A **796** (2015) 131.
- [58] S. Kühn *et al.*, “Silicon strip tracking detector development and prototyping for the Phase-II Upgrade of the ATLAS experiment”, Nucl. Inst. Meth. A **824** (2016) 426.
- [59] R. Mori *et al.*, “Evaluation of the performance of irradiated silicon strip sensors for the forward detector of the ATLAS Inner Tracker Upgrade”, Nucl. Inst. Meth. A **831** (2016) 207.

- [60] S. Kühn *et al.*, "Prototyping of hybrids and modules for the forward silicon strip tracking detector for the ATLAS Phase-II upgrade", JINST **12** (2017) no.05, P05015
- [61] S. Kühn *et al.*, "Prototyping of petalets for the Phase-II Upgrade of the silicon strip tracking detector of the ATLAS Experiment", JINST **13** (2018) no.03, T03004
- [62] M. Wiehe, S. Wonsak, S. Kühn, U. Parzefall, G. Casse,
"Measurements of the reverse current of highly irradiated silicon sensors to determine the effective energy and current related damage rate", Nucl. Instrum. Meth. A **877** (2018) 51.
- [63] ATLAS Collaboration, "Technical Design Report for the ATLAS Inner Tracker Strip Detector", CERN-LHCC-2017-005.
- [64] T. Klapdor-Kleingrothaus, U. Landgraf, N. Scheidtmann and S. Zimmermann, "Studies of MicroMeGas chambers for the new small wheel using cosmic muons", 2016 IEEE Nuclear Science Symposium, Medical Imaging Conference and Room-Temperature Semiconductor Detector Workshop (NSS/MIC/RTSD), doi=10.1109/NSSMIC.2016.8069760.